Drawing 37 was shot in 10 sequences. Series a (top) and b (bottom) are part of the same glyph block at the very top of the drawing. Series c is a complete glyph block located down and left from the one represented in a and b. To the far right of drawing 36 is another group of glyph blocks. The block furthest right is represented in series d (bottom), e (top), and f(middle). The next block to the left is represented in series g (top) and h (bottom.) The next block to the left is represented in series i (top) and j (bottom.) It will be necessary to look at a picture of the complete drawing to decipher this.

The settings for series a were:

Inclination: + 20 degrees (parallel to the wall)

Distance: 84.5"

File	Filter	Gain	Flash (1/x)
d37a00	2	16	1
d37a01	6	8	2
d37a02	7	8	2
d37a03	9	6	2
d37a04	10	6	2
d37a05	13	0	1

The settings for series b were:

Inclination: unmeasured

Distance: 84.5"

File	Filter	Gain	Flash (1/x)
d37b00	2	14	1
d37b01	6	8	2
d37b02	7	8	2
d37b03	9	6	2
d37b04	10	6	2
d37b05	13	0	1

The settings for series c were:

Inclination: -9.5 degrees

Distance: 79"

File	Filter	Gain	Flash (1/x)
d37c00	2	16	1
d37c01	6	8	2
d37c02	7	8	2
d37c03	9	6	2
d37c04	10	6	2
d37c05	13	0	1

The settings for series d were:

Inclination: -14 degrees

Distance: 91"

File	Filter	Gain	Flash (1/x)
d37d00	2	18	1
d37d01	6	12	2
d37d02	7	10	2
d37d03	9	8	2
d37d04	10	8	2
d37d05	13	4	1

The settings for series e were:

Inclination: unmeasured Distance: unmeasured

File	Filter	Gain	Flash (1/x)
d37e00	2	18	1
d37e01	6	12	2
d37e02	7	10	2
d37e03	9	10	2
d37e04	10	8	2
d37e05	13	4	1

The settings for series f were:

Inclination: unmeasured Distance: unmeasured

File	Filter	Gain	Flash (1/x)
d37f00	2	18	1
d37f01	6	10	2
d37f02	7	10	2
d37f03	9	8	2
d37f04	10	8	2
d37f05	13	4	1

The settings for series g were:

Inclination: unmeasured Distance: unmeasured

File	Filter	Gain	Flash (1/x)
d37g00	2	18	1
d37g01	6	12	2
d37g02	7	10	2
d37g03	9	10	2
d37g04	10	8	2
d37g05	13	6	1

The settings for series h were:

Inclination: unmeasured Distance: unmeasured

File	Filter	Gain	Flash (1/x)
d37h00 d37h01 d37h02 d37h03 d37h04 d37h05	2 6 7 9 10	18 12 10 10 10	1 2 2 2 2 2
	. •	. •	•

The settings for series i were:

Inclination: unmeasured

Distance: 80"

File	Filter	Gain	Flash (1/x)
d37i00	2	16	1
d37i01	6	10	2
d37i02	7	8	2
d37i03	9	6	2
d37i04	10	8	2
d37i05	13	0	1

The settings for series j were:

Inclination: unmeasured

Distance: 80"

Filter	Gain	Flash (1/x)
2	16	1
6	8	2
7	6	2
9	4	2
10	6	2
13	0	1
	2 6 7 9 10	2 16 6 8 7 6 9 4 10 6























































































































